

RELIABLE || ATTRACTIVE || PROFITABLE

# When confronted with a challenge, it's good to remember how you have overcome them before.

Stick with what works.

As we think back over the last year since we saw you all at Bull Sale, the list of challenges that have confronted our ag communities continues to pile up. The fallout of COVID has affected us in multitudes of ways. The severity of the drought last year brought immediate hardships, and will continue to roll out when our stressed grasslands and hayfields attempt to wake up later this spring. And we face a cattle market that could mildly be described as neurotic . . . It can make it seem pretty hard to have a plan. That's the thinking behind our theme for Open Gate Ranch this year. Sometimes, the smartest move is to stop and evaluate what strategies have kept us in business this long. Think about what worked, why it worked, and trust that it is going to work again.

There are times when we don't need to reinvent the wheel- we need to retrench.

So, when we look back at how we have managed to hold on to our family business for 40 plus years, there are some constants that deserve due acknowledgement: quiet, maternal, heavily muscled cattle have always held the course for us. They utilize every type of feed, they milk consistently, they drag home a heavy calf with plenty of pedal left for backgrounding, they breed back, they make a profit. Even in the ugly tough years.

Cross-breeding has always worked. We benefit from heterosis every step from conception to slaughter and it is hands-down the simplest way to achieve a uniform feeder calf crop, and highly fertile females.

A good frame, adequate rumen, and adequate bone have always kept our cattle insulated from challenges. They don't fall apart. They stay in production into their double digits. And they respond very profitably to good management. When we take good care of them, they pay us back.

That's it. That's what we're bringing to you in our offering this year. Cattle ready to work. It's why we are confident enough to keep having a production sale when we know everyone is facing impossible challenges, and why we are confident enough to guarantee these cattle will help you overcome them.

This group of boys fed easily. Mostly mild conditions. They finished their performance test on January 16 with an average weight of 1190 and an average daily gain of 3.36 pounds. Ultrasound data will be taken and added to the Sale Book. And we are excited to be offering a set of registered and commercial open heifers for sale this year.

We lost a few very special friends from our little ag community of customers this past year: we know many of you are still grieving those losses and our hearts are with you. It is the very hardest challenge to press through . . .

We send out warmest best wishes for a safe and successful calving season, The Open Gate Crew



## 2022 BULL SALE OFFERING

4007944         3/4         D262         CDI TRUSTEE         95         10.9         95.0         59.4         131.3         80.0         752           4011944         3/4         C952         CDI TRUSTEE         90         9.7         92.8         68.3         124.6         83.0         871           4012179         1/2         C968         CDI TRUSTEE         90         10.4         92.1         71.7         125.5         83.5         910           4007948         7/8         E463         CDI TRUSTEE         90         11.4         90.9         66.3         135.7         86.7         894           4007729         3/4         D253         CDI TRUSTEE         95         8.9         90.0         63.1         126.1         81.2         938           4007952         3/4         E492         CDI TRUSTEE         87         10.9         88.7         66.1         135.4         84.6         854           4011946         3/4         B7831         CDI TRUSTEE         81         9.8         88.5         65.9         130.8         82.1         714	1010 1238 1202 1156 1265 1058 1130 986	2.77 3.82 3.68 3.10 3.91 2.76
4012179       1/2       C968       CDI TRUSTEE       90       10.4       92.1       71.7       125.5       83.5       910         4007948       7/8       E463       CDI TRUSTEE       90       11.4       90.9       66.3       135.7       86.7       894         4007729       3/4       D253       CDI TRUSTEE       95       8.9       90.0       63.1       126.1       81.2       938         4007952       3/4       E492       CDI TRUSTEE       87       10.9       88.7       66.1       135.4       84.6       854	1202 1156 1265 1058 1130 986	3.68 3.10 3.91 2.76
4007948       7/8       E463       CDI TRUSTEE       90       11.4       90.9       66.3       135.7       86.7       894         4007729       3/4       D253       CDI TRUSTEE       95       8.9       90.0       63.1       126.1       81.2       938         4007952       3/4       E492       CDI TRUSTEE       87       10.9       88.7       66.1       135.4       84.6       854	1156 1265 1058 1130 986	3.10 3.91 2.76
4007729     3/4     D253     CDI TRUSTEE     95     8.9     90.0     63.1     126.1     81.2     938       4007952     3/4     E492     CDI TRUSTEE     87     10.9     88.7     66.1     135.4     84.6     854	1265 1058 1130 986	3.91 2.76
4007952 3/4 E492 CDI TRUSTEE 87 10.9 88.7 66.1 135.4 84.6 854	1058 1130 986	2.76
	1130 986	
4011946 3/4 R7831 CDITRIISTEE 81 9.8 98.5 65.0 130.8 92.1 714	986	3.87
7011070 0,7 D1001 ODITIONIEL 01 5.0 00.0 00.0 100.0 02.1 714		
4011947 3/4 B7832 CDI TRUSTEE 82 9.8 88.5 65.9 130.8 82.1 666		2.86
4007934 3/4 B617 CDI TRUSTEE 90 11.9 88.0 64.4 145.5 89.9 900	1218	3.72
4007940 3/4 C870 CDI TRUSTEE 90 10.7 87.7 67.2 134.9 84.5 866	1210	3.65
4007941 3/4 C932 CDI TRUSTEE 98 9.2 87.7 66.0 135.1 84.1 862	1240	4.10
4011942 7/8 D3231 CDI TRUSTEE 90 8.8 85.4 63.4 130.4 80.2 752	1016	2.33
4011943 7/8 D3232 CDI TRUSTEE 89 8.8 85.4 63.4 130.4 80.2 696	1030	3.08
4007943 5/8 D239 CDI TRUSTEE 95 9.6 83.0 60.5 116.7 77.5 764	1070	3.24
4011945 3/4 B611 CDI TRUSTEE 75 9.6 82.8 64.5 128.1 78.6 694	992	2.90
4007969 3/4 Z358 CDI TRUSTEE 86 12.3 82.7 60.2 143.6 84.4 820	1172	3.62
4007936 5/8 B647 CDI TRUSTEE 90 9.6 82.6 59.2 124.6 78.5 764	1165	3.70
4007956 PB E645 CDI TRUSTEE 98 9.1 81.9 60.3 116.7 76.7 762	1018	3.31
4012160 1/2 Z408 CDI TRUSTEE 96 10.6 77.0 58.3 131.4 78.1 794	1132	3.44
4012178 5/8 Z370 CDI TRUSTEE 90 11.7 81.4 63.1 139.2 83.5 886	1236	3.76
4012177 PB X741 CDI TRUSTEE 98 10.1 78.3 60.7 125.6 77.7 966	1285	3.37
4007926 7/8 A289 CDI TRUSTEE 89 9.8 81.0 61.2 125.9 78.2 806	1062	3.23
4007945 PB D316 CDI TRUSTEE 86 10.1 79.2 59.9 126.8 75.8 774	1072	3.38
4007710 3/4 C865 CDI TRUSTEE 82 13.2 77.9 58.7 132.7 78.8 810	1155	3.88
4007932 3/4 A600 CDI TRUSTEE 98 10.1 74.8 55.7 114.5 70.6 782	1118	3.66
4007955 3/8 E608 SAV TERRITORY 90 11.0 93.1 65.7 131.8 86.8 868	1184	3.62
4007974 1/2 Z959 SAV TERRITORY 82 12.8 87.8 60.5 129.8 82.9 884	1214	4.01
4007927 1/2 A491 SAV TERRITORY 89 12.6 87.4 59.7 132.1 81.5 862	1182	3.72
4007947 1/4 E462 SAV TERRITORY 84 13.8 86.1 58.8 145.5 87.1 850	1172	3.63
4007928 3/8 A496 SAV TERRITORY 80 12.8 81.9 64.5 135.2 82.5 850	1108	3.14
4007966 1/4 X298 SAV TERRITORY 89 11.6 73.3 54.0 129.5 75.2 736	966	2.79
3902626 3/4 F998 WS PROCLAMATION 98 9.5 111.6 93.0 143.6 99.8 1054	1370	4.10
4007959 PB F723 WS PROCLAMATION 90 12.7 101.9 88.5 156.6 99.5 962	1240	3.55
4007763 7/8 G127 WS PROCLAMATION 87 13.5 99.7 82.4 154.7 97.5 898	1230	4.00
3902620 7/8 F981 WS PROCLAMATION 98 9.0 95.3 80.3 132.9 88.9 862	1202	3.49
4007965 3/4 G282 WS PROCLAMATION 86 11.3 93.9 78.8 150.9 93.0 912	1212	3.58
4007819 3/4 F740 WS PROCLAMATION 90 12.2 93.5 77.7 142.2 91.3 864	1200	3.56
4007866 3/4 B443 WS PROCLAMATION 98 12.3 88.3 76.3 150.6 91.9 1040	1340	3.96
4007963 3/4 G218 WS PROCLAMATION 86 11.7 86.4 75.9 140.3 87.5 816	1146	3.44
4007960 PB F738 WS PROCLAMATION 80 14.9 86.2 72.7 155.2 90.5 774	1054	3.06
4007938 3/4 B677 WS PROCLAMATION 90 11.4 85.7 74.4 145.4 90.0 832	1144	3.70
4007850 3/4 E569 WS PROCLAMATION 84 14.0 84.8 73.3 149.9 89.7 952	1220	3.56
4007962 3/4 G196 WS PROCLAMATION 86 12.6 82.9 69.3 149.9 88.3 872	1164	3.21

## 2022 BULL SALE OFFERING

ASA #	% SIMM.	DAM	SIRE	BW	CE EPD	WW EPD	MWW EPD	API	TI	Start Wt. 10/14/21	Test Wt. 1/16/22	ADG
4007860	1/2	F599	BOBCAT BLUE SKY	93	12.1	98.2	72.3	140.0	93.8	874	1206	4.04
4006704	1/4	F877	BOBCAT BLUE SKY	96	15.2	98.2	71.3	151.6	97.9	854	1134	3.48
4006695	7/16	F800	BOBCAT BLUE SKY	93	14.9	96.5	69.9	145.0	94.7	928	1260	3.83
4006703	1/2	F806	BOBCAT BLUE SKY	105	12.4	93.7	65.3	138.9	89.9	894	1216	3.86
4007854	1/2	D499	BOBCAT BLUE SKY	92	15.0	91.5	67.0	138.2	89.2	1044	1330	3.73
4007805	3/8	F573	BOBCAT BLUE SKY	88	15.6	88.2	61.4	148.2	91.1	888	1162	3.18
4007868	1/2	B436	BOBCAT BLUE SKY	97	13.1	82.7	61.5	141.3	86.7	986	1275	3.95
4007852	1/2	D518	BOBCAT BLUE SKY	86	12.9	80.3	64.1	132.6	83.8	950	1300	3.99
4007935	7/8	B627	TJ NORTHWARD	98	7.6	91.2	78.0	117.2	80.0	938	1242	3.41
4007937	3/4	B651	TJ NORTHWARD	98	7.4	86.8	67.8	127.5	81.2	848	1220	3.52
4007930	3/4	A550	HOOK'S BOUNTY	87	9.4	81.4	70.0	141.8	81.4	798	1148	3.61
4012159	7/8	D71	HOOK'S BOUNTY	98	7.8	77.0	71.3	133.7	77.1	978	1335	4.09
4007933	3/4	B027	HOOK'S BOUNTY	99	6.4	80.3	76.7	124.9	74.9	870	1244	3.92
4007755	7/8	E434	HOOK'S BOUNTY	85	13.0	79.6	68.5	132.9	77.1	784	1082	3.41
4007771	3/4	Z971	TJ MAIN EVENT	90	13.0	86.7	64.0	131.9	82.7	850	1178	3.75
4007793	1/2	C979	TJ MAIN EVENT	83	13.0	83.2	66.1	124.1	80.2	744	1018	3.04
4007939	1/2	C107	TJ MAIN EVENT	94	10.6	80.4	65.6	122.8	78.8	894	1110	3.55
4007957	3/8	E94	SAV RENEW	90	9.0	87.2	65.1	126.0	81.7	876	1232	3.96
4007949	1/4	E4741	SAV RENEW	80	9.9	82.4	61.9	126.1	79.0	818	1114	3.30
4007950	1/4	E4742	SAV RENEW	79	9.9	82.4	61.9	126.1	79.0	842	1144	3.32
4007953	1/4	E558	SAV RENEW	87	11.0	80.3	55.5	128.8	79.3	812	1178	4.03
4007931	1/4	A568	SAV RENEW	86	10.2	74.7	56.9	128.9	76.1	770	1064	3.23
4007951	1/4	E487	SAV RENEW	95	9.7	74.6	50.1	125.5	75.5	790	1004	2.70
4007971	3/8	Z462	SAV RENEW	90	12.1	69.7	47.5	122.4	72.2	754	1060	2.73
4007827	1/2	Z390	TJ Z54 MAVERICK	92	13.0	88.7	71.1	129.7	83.6	928	1196	3.49
4007972	1/2	Z533	CONNEALY SPUR	96	10.9	85.2	62.5	137.8	83.2	824	1198	4.06
4007967	1/4	Y28	CONNEALY SPUR	95	11.7	81.6	59.8	137.6	80.7	860	1226	3.77
4007964	1/4	G280	BLACK ONYX	87	12.7	99.6	71.5	142.0	93.1	892	1226	3.66
4007767	3/8	G211	BLACK ONYX	80	14.7	97.5	73.0	145.5	94.3	896	1232	4.35
4007954	3/4	E571	CCR COWBOY	87	11.7	83.4	62.6	146.2	83.0	806	1060	3.11
4007719	7/8	F818	GIBBS RAISINCAIN	96	8.9	95.1	74.3	127.8	87.9	888	1275	4.05
4007847	1/2	F593	LEACHMAN CADILLAC	93	12.6	79.9	65.8	127.8	80.5	882	1156	3.51
4007871	3/4	E540	LEACHMAN CADILLAC	87	11.1	77.4	65.0	122.8	77.6	882	1202	3.52
4007714	5/8	F787	OGR EASTON	105	6.9	93.3	69.9	121.5	81.6	804	1150	3.41
4007747	7/8	D69	OGR EASTON	82	12.5	79.4	62.0	129.8	77.9	852	1168	2.77
4007824	3/4	Z382	SHSF FREIGHTLINER	96	9.4	84.9	67.2	128.8	79.6	952	1360	4.30
4007946	7/8	E455	SVR W909	86	10.2	74.0	60.3	143.2	81.0	894	1154	3.28
FALL BULLS		0474	E0000 BALTIC	20	40.0	60.0	F0.5	400.0	70.0	400=	4500	0.07
2002620	3/4	C174	FC892 BALTIC	89	10.6	80.0	58.4	130.2	78.8	1335	1520	3.27
3902629 3902610	5/8 1/2	D261 A495	FC892 BALTIC FC892 BALTIC	90 96	11.1 10.3	82.3 79.1	54.9 61.1	132.6 126.7	78.9 75.0	1196 1260	1455 1620	2.98 3.85
3902618	3/4	A495 A590	FC892 BALTIC	90 87	12.2	80.1	58.7	147.9	75.U 84.7	1104	1465	3.65
3902627	7/8	Z457	FC892 BALTIC	86	9.2	82.5	57.8	135.5	80.9	1108	1440	3.01
4012075	1/2	C874	FC892 BALTIC	95	12.6	73.5	53.9	130.0	76.0	1180	1540	3.38
							30.9					

# OPEN GATE RANCH 42<sup>nd</sup> ANNUAL BULL SALE



Thursday, March 31, 2022 Simms, MT

WATCH FOR VIDEOS OF THE BULLS ON OUR WEBSITE WWW.OPENGATERANCH.COM

### 2022 SHOWCASE SIRES -

CDI TRUSTEE Wide and deep and powerful, he swings back toward the foundation of Simmental performance, exceptional maternal qualities and wonderful docility. Both sons and daughters are quiet and steady. Muscle in all the right places.

**SAV TERRITORY** Chosen for his unreal early growth that captures that precious front end of Rancher profitability, and makes crossbred matings very simple.

WS PROCLAMATION We feel this pedigree is a clear standout for building phenomenal Simmental influenced females: maintaining the traditional value set of stout frame and muscle, without adding height. Love these calves!

### BOBCAT BLUE SKY Selected for his

excellent top line and hip dimension as well as his high reputation Dam, this is a very consistent set of 1/2 bloods that bring early growth as well as perfect finishing capacity.

**SAV RENEW** Chosen for his calving ease potential and fantastic dam, this sire group will set you up to make fancy females with an excellent platform for profit.

When confronted with a challenge, it's good to remember how you have overcome them before.

Stick with what works.